



# E1

## Nylon Cable Ties and Accessories

**Tyington**

A MEMBER OF  
**KingGo**





**Self Locking Cable Ties**

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Tensile Strength	
		inch	mm			LBS	KGS
E010101	T1-2.5x80	3.2"	80	2.5	2-16	18	8
E010102	T1-2.5x100	4.0"	100		2-22		
E010103	T1-2.5x120	4.7"	120		2-30		
E010104	T1-2.5x150	6.0"	150		2-35		
E010105	T1-2.5x200	8.0"	200		2-50		
E010106	T1-3.6x150	6.0"	150	3.6	3-35	40	18
E010107	T1-3.6x180	7.1"	180		3-42		
E010108	T1-3.6x200	8.0"	200		3-50		
E010109	T1-3.6x250	10.0"	250		3-65		
E010110	T1-3.6x300	12.0"	300		3-80		
E010111	T1-3.6x370	14.5"	370	3-102			
E010112	T1-4.8x200	8.0"	200	4.8	3-50	50	22
E010113	T1-4.8x250	10.0"	250		3-65		
E010114	T1-4.8x300	12.0"	300		3-80		
E010115	T1-4.8x350	14.0"	350		3-90		
E010116	T1-4.8x370	14.5"	370		3-102		
E010117	T1-4.8x400	16.0"	400		3-105		
E010118	T1-4.8x450	18.0"	450		3-130		
E010119	T1-4.8x500	20.0"	500		3-150		
E010120	T1-7.6x200	8.0"	200		7.6		
E010121	T1-7.6x250	10.0"	250	4-65			
E010122	T1-7.6x300	12.0"	300	4-80			
E010123	T1-7.6x350	14.0"	350	4-90			
E010124	T1-7.6x380	15.0"	380	4-100			
E010125	T1-7.6x400	16.0"	400	4-105			
E010126	T1-7.6x450	18.0"	450	4-110			
E010127	T1-7.6x500	20.0"	500	4-150			
E010128	T1-7.6x550	21.6"	550	4-160			
E010129	T1-7.6x700	28.0"	700	4-195			
E010130	T1-9.0x400	16.0"	400	9	8-105	175	79.4
E010131	T1-9.0x450	18.0"	450		8-118		
E010132	T1-9.0x500	20.0"	500		8-150		
E010133	T1-9.0x550	21.6"	550		8-160		
E010134	T1-9.0x600	23.6"	600		8-170		
E010135	T1-9.0x650	25.6"	650		8-185		
E010136	T1-9.0x700	28.0"	700		10-195		
E010137	T1-9.0x750	29.5"	750		10-225		
E010138	T1-9.0x800	31.5"	800		10-230		
E010139	T1-9.0x900	35.5"	900		10-265		
E010140	T1-9.0x1020	40.1"	1020	10-300			



**Releasable Cable Ties**

**Characteristics:**

Easily assembled by hand or with pliers, remain securely locked until intentionally released by operating the finger catch.

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Tensile Strength		Packing
		inch	mm			LBS	KGS	
E010201	T2-150	6"	150	7.2	35	50	22	100PCS
E010202	T2-200	8"	200	7.2	50	50	22	100PCS
E010203	T2-250	10"	250	7.2	65	50	22	100PCS
E010204	T2-300	12"	300	7.2	70	50	22	100PCS



**Mountable Head Ties**

**Characteristics:**

After bundling wires, may fix the wires on plate with screw.

**Material:** Nylon

**Colors:** Natural(white) or others as request

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Tensile Strength		Packing
		inch	mm			LBS	KGS	
E010301	T3-100	4"	100	2.5	22	18	8	
E010302	T3-100A	4"	100	3.6	22	40	18	
E010303	T3-150	6"	150	3.6	32	40	18	100PCS
E010304	T3-200	8"	200	4.8	42	50	22	
E010305	T3-300	12"	300	4.8	80	50	22	



**Push Mount Ties**

**Characteristics:**

Insert cable tie to the hole of table and fasten it.

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Hole Diameter		Panel Thickness		Tensile Strength		Packing
		inch	mm			inch	mm	inch	mm	LBS	KGS	
E010401	T4-100	4"	100	2.5	22	0.189	4.8	0.094	2.4	18	8	100PCS



**Double Locking Cable Ties**

**Characteristics:**

Easily assembled by hand or with pliers, remain securely locked until intentionally released by operating the finger catch

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Tensile Strength		Packing
		inch	mm			LBS	KGS	
E010501	T5-115	5 1/8"	125	6.0	22	77	35	100PCS
E010502	T5-180	7"	180	6.0	45	77	35	100PCS
E010503	T5-180D	7"	180	9.0	45	88	40	100PCS
E010504	T5-260	10 1/4"	260	9.0	66	110	50	100PCS
E010505	T5-350	13 5/8"	350	9.0	90	110	50	100PCS



**Maker Ties**


**Characteristics:**

Blank tag at the head of cable ties, may write down the marker on the tag.

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Tag Size mm	Tensile Strength	
		inch	mm				LBS	KGS
E010601	T6-100	4"	100	2.5	22	22×5	18	8
E010602	T6-110	4.4"	110	2.5	22	10×22	18	8
E010603	T6-150	6"	150	3	32	12×25	40	18
E010604	T6-200	8"	150	3	42	12×25	40	18



**Velcro Cable Ties**

**Characteristics:**

Suitable for bundling network cable(UTP/STP/Fiber), signal lines, power lines. Avoiding too tight to affecting the data transmission speed with traditional cable tie.

**Material:** Nylon

**Colors:** As request.

Part No.	Item No.	Length	Width	Max. Bundle Diameter
		mm	mm	mm
E010701	T7-125	125	12	30
E010702	T7-135	135	12	33
E010703	T7-180	180	12	40
E010704	T7-210	210	16	50
E010705	T7-310	310	16	85



**Kont Ties(ball type)**

**Characteristics:**

Beaded design keeps wires from shifting or slipping.

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	Length		Width mm	Max. Bundle Diameter mm	Tensile Strength		Packing
		inch	mm			LBS	KGS	
E011601	T8-100	4"	100	-	25	18	8	100PCS
E011602	T8-120	4"	100	-	30	18	8	100PCS
E011603	T8-150	8"	150	-	39	30	14	100PCS



**Spiral Wrapping Band**

**Characteristics:**


Protection wear for electric wires, and make insulation and look nice.

**Material:** PE

**Colors:** Natural(white) or others as request.

Part No.	Item No.	D mm	D1 mm	W mm	Wrapping Range Φmm	Packing
E010801	SWB-6	4	6	7	4×50	10m
E010802	SWB-8	6	8	10.8	6×60	
E010803	SWB-10	7.5	10	11.4	7.5×60	
E010804	SWB-12	9	12	13.9	9×65	
E010805	SWB-16	13	16	15	12×70	
E010806	SWB-20	16	20	18.2	15×100	
E010807	SWB-25	21	25	19.6	20×130	

**Cable Tie Mounts**



**Characteristics:**

Used where hole-drilling is not allowed, easy and time-saving.


With imported adhesive sticker.

Good insulation, long lasting and uneasy to age.

**Material:** Nylon

**Colors:** Natural(white) or others as request.

Part No.	Item No.	L × W mm	H mm	T mm
E011001	TM-20	20 × 20	6.1	5.0
E011002	TM-25	25 × 25	7.5	6.2
E011003	TM-30	30 × 30	8.7	6.4
E011004	TM-40	40 × 40	6.4	10.8



**Wiring Duct**

**Characteristics:**


Made up of duct bottom and lid, with two-holes designed at the bottom.

Good insulation and heat resistant up to 85°C

**Material:** PVC

**Colors:** Grey

Part No.	Item No.	Length	Packing M
E010901	WD-20×15		200
E010902	WD-20×20		200
E010903	WD-20×25		100
E010904	WD-25×25		100
E010905	WD-30×15		200
E010906	WD-30×20		100
E010907	WD-30×25		100
E010908	WD-30×30		100
E010909	WD-30×35		100
E010910	WD-30×40		100
E010911	WD-30×50		100
E010912	WD-35×25	2M	100
E010913	WD-35×30		100
E010914	WD-35×35		100
E010915	WD-35×40		100
E010916	WD-40×25		100
E010917	WD-40×30		100
E010918	WD-40×35		100
E010919	WD-40×40		100
E010920	WD-45×45		100
E010921	WD-50×20		100
E010922	WD-50×25		100
E010923	WD-50×30		100




**Square Cable Clips**

**Characteristics:**

Securing of cables for general indoor wiring

**Material:** PP, Steel Nail

Part No.	Item No.	H mm	H1 mm	R mm	Nail mm	Packing
E011101	4mm	6.0	3.8	4	1.7×15	100pcs
E011102	5mm	6.0	3.8	5	1.7×15	
E011103	6mm	6.5	4.1	6	1.7×16	
E011104	7mm	7.0	4.7	7	1.9×18	
E011105	8mm	7.5	6.0	8	2.05×20	
E011106	9mm	8.2	5.4	9	2.05×23	
E011107	10mm	8.6	5.7	10	2.3×23	
E011108	12mm	9.0	6.1	12	2.3×25	
E011109	14mm	11.2	6.5	14	2.4×30	



**Expansion Pipes**

**Characteristics:**

Securing of cables for general indoor wiring

**Material:** PE

Color: White

Part No.	Item No.	L mm	D mm	d mm	Packing
E011301	EP-06	29.8	6.0	4.9	100PCS
E011302	EP-08	38.6	7.9	5.3	
E011303	EP-10	42.7	9.9	5.8	
E011304	EP-12	47.9	11.6	6.3	




**Circle Cable Clips**

**Characteristics:**

Securing of cables for general indoor wiring

**Material:** PP, Steel Nail

Part No.	Item No.	H mm	R mm	Nail mm	Packing
E011201	4mm	5.3	4	1.7×15	100pcs
E011202	5mm	6.5	5	1.7×15	
E011203	6mm	8.1	6	1.7×17	
E011204	7mm	8.7	7	1.8×19	
E011205	8mm	9.6	8	1.9×21	
E011206	9mm	10.7	9	2.0×22	
E011207	10mm	11.7	10	2.05×25	
E011208	12mm	12.8	12	2.05×27	
E011209	14mm	14.9	14	2.4×32	
E011210	16mm	16.9	16	2.5×35	
E011211	18mm	20.8	18	2.5×37	
E011212	20mm	23.6	20	2.8×42	
E011213	22mm	25.0	22	2.8×48	
E011214	25mm	27.7	25	3.2×48	
E011215	30mm	33.1	30	3.2×53	
E011216	35mm	36.6	35	3.2×58	
E011217	40mm	45.2	40	3.4×60	



**Cable Tie Holders**


**Characteristics:**

Securing of cables for general indoor wiring

**Material:** PE

**Color:** White, Black, Grey

Part No.	Item No.	Dimensions(mm)					Packing
		H	H1	W	L	L1	
E011501	TH-8	37	6	10	12.7	9.7	100PCS



**R Type Cable Clamps**

**Characteristics:**

Put cable in and fix by screw

**Material:** Nylon

**Color:** White

Part No.	Item No.	A	B	C		D	Packing
		mm	mm	mm	inch	mm	
E011401	RC-1/8R	9.50	9.60	3.20	1/8"	19.8	100PCS
E011402	RC-3/16R	9.60	9.60	4.80	3/16"	19.8	
E011403	RC-1/4R	12.00	10.00	6.35	1/4"	22	
E011404	RC-5/16R	12.00	10.00	7.90	5/16"	22	
E011405	RC-1/8R	12.50	12.00	9.50	3/8"	24	
E011406	RC-1/2R	15.20	12.00	12.70	1/2"	31	
E011407	RC-5/8R	18.20	12.60	15.80	5/8"	34.3	
E011408	RC-3/4R	18.20	12.60	19.40	3/4"	35	
E011409	RC-1R	22.50	12.00	25.40	1"	43	
E011410	RC-17/16R	24.00	12.00	27.50	17/16"	50	
E011411	RC-5/4R	26.20	12.00	31.80	1 1/4"	46.2	
E011412	RC-3/2R	30.00	12.00	36.70	1 1/2"	50	



■ Fastening nylon cable ties quickly, cutting left parts by manual

Part No.:	H012101
Applicable Width	2.4-9.0mm
Length	195mm
Weight	0.26Kg



■ Fastening nylon cable ties quickly, cutting left parts by manual

Part No.:	H012102
Applicable Width	2.4-4.8mm
Length	165mm
Weight	0.3Kg