



E2

Stainless Steel Cable Ties

Tyingon

A MEMBER OF
KingGo



**Ball Lock Type
Stainless Steel Cable Ties**

Features

- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated is optional.

Part No.		Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
Uncoated	Coated						
E020101	E020201	BL-450150	4.6*150	4.6	150	0.25	35
E020102	E020202	BL-450200	4.6*200		200		50
E020103	E020203	BL-450250	4.6*250		250		65
E020104	E020204	BL-450300	4.6*300		300		80
E020105	E020205	BL-450350	4.6*350		350		95
E020106	E020206	BL-450400	4.6*400		400		110
E020107	E020207	BL-450450	4.6*450		450		130
E020108	E020208	BL-450500	4.6*500		500		140
E020109	E020209	BL-450550	4.6*550		550		160
E020110	E020210	BL-450600	4.6*600		600		170
E020111	E020211	BL-450650	4.6*650		650		185
E020112	E020212	BL-450700	4.6*700		700		200
E020113	E020213	BL-450750	4.6*750		750		215
E020114	E020214	BL-450800	4.6*800		800		230
E020115	E020215	BL-450850	4.6*850		850		240
E020116	E020216	BL-450900	4.6*900		900		260
E020117	E020217	BL-450950	4.6*950		950		275
E020118	E020218	BL-4501000	4.6*1000		1000		300
E020119	E020219	BL-800150	7.9*150	7.9	150	0.25	35
E020120	E020220	BL-800200	7.9*200		200		50
E020121	E020221	BL-800250	7.9*250		250		65
E020122	E020222	BL-800300	7.9*300		300		80
E020123	E020223	BL-800350	7.9*350		350		95
E020124	E020224	BL-800400	7.9*400		400		110
E020125	E020225	BL-800450	7.9*450		450		130
E020126	E020226	BL-800500	7.9*500		500		140
E020127	E020227	BL-800550	7.9*550		550		160
E020128	E020228	BL-800600	7.9*600		600		170
E020129	E020229	BL-800650	7.9*650		650		185
E020130	E020230	BL-800700	7.9*700		700		200
E020131	E020231	BL-800750	7.9*750		750		215
E020132	E020232	BL-800800	7.9*800		800		230
E020133	E020233	BL-800850	7.9*850		850		240
E020134	E020234	BL-800900	7.9*900		900		260
E020135	E020235	BL-800950	7.9*950		950		275
E020136	E020236	BL-8001000	7.9*1000		1000		300
E020137	E020237	BL-8001100	7.9*1100		1100		335
E020138	E020238	BL-8001200	7.9*1200		1200		365
E020139	E020239	BL-8001300	7.9*1300		1300		395
E020140	E020240	BL-8001400	7.9*1400		1400		425

**Ball Lock Type
Stainless Steel Cable Ties**

Part No.		Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
Uncoated	Coated						
E020141	E020241	BL-120150	12*150	12	150	0.25	35
E020142	E020242	BL-120200	12*200		200		50
E020143	E020243	BL-120250	12*250		250		65
E020144	E020244	BL-120300	12*300		300		80
E020145	E020245	BL-120350	12*350		350		95
E020146	E020246	BL-120400	12*400		400		110
E020147	E020247	BL-120450	12*450		450		130
E020148	E020248	BL-120500	12*500		500		140
E020149	E020249	BL-120550	12*550		550		160
E020150	E020250	BL-120600	12*600		600		170
E020151	E020251	BL-120650	12*650		650		185
E020152	E020252	BL-120700	12*700		700		200
E020153	E020253	BL-120750	12*750		750		215
E020154	E020254	BL-120800	12*800		800		230
E020155	E020255	BL-120850	12*850		850		240
E020156	E020256	BL-120900	12*900		900		260
E020157	E020257	BL-120950	12*950		950		275
E020158	E020258	BL-1201000	12*1000		1000		300
E020159	E020259	BL-1201100	12*1100		1100		335
E020160	E020260	BL-1201200	12*1200		1200		365
E020161	E020261	BL-1201300	12*1300	1300	395		
E020162	E020262	BL-1201400	12*1400	1400	425		
E020163	E020263	BL-160150	16*150	16	150	0.25	35
E020164	E020264	BL-160200	16*200		200		50
E020165	E020265	BL-160250	16*250		250		65
E020166	E020266	BL-160300	16*300		300		80
E020167	E020267	BL-160350	16*350		350		95
E020168	E020268	BL-160400	16*400		400		110
E020169	E020269	BL-160450	16*450		450		130
E020170	E020270	BL-160500	16*500		500		140
E020171	E020271	BL-160550	16*550		550		160
E020172	E020272	BL-160600	16*600		600		170
E020173	E020273	BL-160650	16*650		650		185
E020174	E020274	BL-160700	16*700		700		200
E020175	E020275	BL-160750	16*750		750		215
E020176	E020276	BL-160800	16*800		800		230
E020177	E020277	BL-160850	16*850		850		240
E020178	E020278	BL-160900	16*900		900		260
E020179	E020279	BL-160950	16*950		950		275
E020180	E020280	BL-1601000	16*1000		1000		300
E020181	E020281	BL-1601100	16*1100		1100		335
E020182	E020282	BL-1601200	16*1200		1200		365
E020183	E020283	BL-1601300	16*1300	1300	395		
E020184	E020284	BL-1601400	16*1400	1400	425		
E020185	E020285	BL-1601500	16*1500	1500	450		
E020186	E020286	BL-1601600	16*1600	1600	475		
E020187	E020287	BL-1601700	16*1700	1700	500		
E020188	E020288	BL-1601800	16*1800	1800	525		
E020189	E020289	BL-1601900	16*1900	1900	550		
E020190	E020290	BL-1602000	16*2000	2000	575		



**Ladder Single Barb Lock Type
Stainless Steel Cable Ties**

Features

- Single barb lock type
- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated is optional.

Part No.		Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
Uncoated	Coated						
E020301	E020401	LS 7-150	7*150	7	150	0.46	33
E020302	E020402	LS 7-225	7*225		225		57
E020303	E020403	LS 7-300	7*300		300		81
E020304	E020404	LS 7-350	7*350		350		92
E020305	E020405	LS 7-400	7*400		400		113
E020306	E020406	LS 7-450	7*450		450		129
E020307	E020407	LS 7-500	7*500		500		141
E020308	E020408	LS 7-550	7*550		550		161
E020309	E020409	LS 7-600	7*600		600		176
E020310	E020410	LS 7-650	7*650		650		192
E020311	E020411	LS 7-700	7*700	700	208		
E020312	E020412	LS 7-750	7*750	750	224		
E020313	E020413	LS 7-800	7*800	800	240		
E020314	E020414	LS 12-150	12*150	12	150	0.56	33
E020315	E020415	LS 12-225	12*225		225		57
E020316	E020416	LS 12-300	12*300		300		81
E020317	E020417	LS 12-350	12*350		350		92
E020318	E020418	LS 12-400	12*400		400		113
E020319	E020419	LS 12-450	12*450		450		129
E020320	E020420	LS 12-500	12*500		500		141
E020321	E020421	LS 12-550	12*550		550		161
E020322	E020422	LS 12-600	12*600		600		176
E020323	E020423	LS 12-650	12*650		650		192
E020324	E020424	LS 12-700	12*700		700		208
E020325	E020425	LS 12-750	12*750		750		224
E020326	E020426	LS 12-800	12*800		800		240



**Ladder Multi Barb Lock Type
Stainless Steel Cable Ties**

Features

- Ladder Multi Barb Lock Type
- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated is optional.

Part No.		Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
Uncoated	Coated						
E020501	E020601	LM 7-150	7*150	7	150	0.3	33
E020502	E020602	LM 7-225	7*225		225		57
E020503	E020603	LM 7-300	7*300		300		81
E020504	E020604	LM 7-350	7*350		350		92
E020505	E020605	LM 7-400	7*400		400		113
E020506	E020606	LM 7-450	7*450		450		129
E020507	E020607	LM 7-500	7*500		500		141
E020508	E020608	LM 7-550	7*550		550		161
E020509	E020609	LM 7-600	7*600		600		176
E020510	E020610	LM 7-650	7*650		650		192
E020511	E020611	LM 7-700	7*700	700	208		
E020512	E020612	LM 7-750	7*750	750	224		
E020513	E020613	LM 7-800	7*800	800	240		
E020514	E020614	LM 12-150	12*150	12	150	0.4	33
E020515	E020615	LM 12-225	12*225		225		57
E020516	E020616	LM 12-300	12*300		300		81
E020517	E020617	LM 12-350	12*350		350		92
E020518	E020618	LM 12-400	12*400		400		113
E020519	E020619	LM 12-450	12*450		450		129
E020520	E020620	LM 12-500	12*500		500		141
E020521	E020621	LM 12-550	12*550		550		161
E020522	E020622	LM 12-600	12*600		600		176
E020523	E020623	LM 12-650	12*650		650		192
E020524	E020624	LM 12-700	12*700		700		208
E020525	E020625	LM 12-750	12*750		750		224
E020526	E020626	LM 12-800	12*800		800		240



**Releasable Type
Stainless Steel Cable Ties**

Features

- Releasable Type
- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated is optional.

Part No.		Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
Uncoated	Coated						
E020701	E020801	RE 05-150	5*150		150		33
E020702	E020802	RE 05-200	5*200		200		57
E020703	E020803	RE 05-250	5*250		250		64
E020704	E020804	RE 05-300	5*300		300		81
E020705	E020805	RE 05-350	5*350		350		92
E020706	E020806	RE 05-400	5*400		400		113
E020707	E020807	RE 05-450	5*450		450		129
E020708	E020808	RE 05-500	5*500	5	500	0.4	141
E020709	E020809	RE 05-550	5*550		550		161
E020710	E020810	RE 05-600	5*600		600		176
E020711	E020811	RE 05-650	5*650		650		192
E020712	E020812	RE 05-700	5*700		700		208
E020713	E020813	RE 05-750	5*750		750		224
E020714	E020814	RE 05-800	5*800		800		240
E020715	E020815	RE 10-150	10*150		150		33
E020716	E020816	RE 10-200	10*200		200		57
E020717	E020817	RE 10-250	10*250		250		64
E020718	E020818	RE 10-300	10*300		300		81
E020719	E020819	RE 10-350	10*350		350		92
E020720	E020820	RE 10-400	10*400		400		113
E020721	E020821	RE 10-450	10*450		450		129
E020722	E020822	RE 10-500	10*500	10	500	0.4	141
E020723	E020823	RE 10-550	10*550		550		161
E020724	E020824	RE 10-600	10*600		600		176
E020725	E020825	RE 10-650	10*650		650		192
E020726	E020826	RE 10-700	10*700		700		208
E020727	E020827	RE 10-750	10*750		750		224
E020728	E020828	RE 10-800	10*800		800		240



**L Lock Type
Stainless Steel Cable Ties**

Features

- L Lock Type
- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated is optional.

Part No.		Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
Uncoated	Coated						
E020901	E021001	LT 10150	10*150	10	150	0.4	35
E020902	E021002	LT 10200	10*200		200		50
E020903	E021003	LT 10250	10*250		250		65
E020904	E021004	LT 10300	10*300		300		80
E020905	E021005	LT 10350	10*350		350		95
E020906	E021006	LT 10400	10*400		400		110
E020907	E021007	LT 10450	10*450		450		130
E020908	E021008	LT 10500	10*500		500		140
E020909	E021009	LT 10550	10*550		550		160
E020910	E021010	LT 10600	10*600		600		170
E020911	E021011	LT 10650	10*650		650		185
E020912	E021012	LT 10700	10*700		700		200
E020913	E021013	LT 12150	12*150	12	150	0.4	35
E020914	E021014	LT 12200	12*200		200		50
E020915	E021015	LT 12250	12*250		250		65
E020916	E021016	LT 12300	12*300		300		80
E020917	E021017	LT 12350	12*350		350		95
E020918	E021018	LT 12400	12*400		400		110
E020919	E021019	LT 12450	12*450		450		130
E020920	E021020	LT 12500	12*500		500		140
E020921	E021021	LT 12550	12*550		550		160
E020922	E021022	LT 12600	12*600		600		170
E020923	E021023	LT 12650	12*650		650		185
E020924	E021024	LT 12700	12*700		700		200
E020925	E021025	LT 16150	16*150	16	150	0.4	35
E020926	E021026	LT 16200	16*200		200		50
E020927	E021027	LT 16250	16*250		250		65
E020928	E021028	LT 16250	16*250		250		65
E020929	E021029	LT 16300	16*300		300		80
E020930	E021030	LT 16350	16*350		350		95
E020931	E021031	LT 16400	16*400		400		110
E020932	E021032	LT 16450	16*450		450		130
E020933	E021033	LT 16500	16*500		500		140
E020934	E021034	LT 16550	16*550		550		160
E020935	E021035	LT 16600	16*600		600		170
E020936	E021036	LT 16650	16*650		650		185
E020937	E021037	LT 16700	16*700	700	200		



**O Type
Stainless Steel Cable Ties**

Features

- O Type
- Easily and quickly installed
- Operating Temperature: -40°C to 85°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated

Part No.	Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
E021101	OT 10150	10*150	10	150	0.4	35
E021102	OT 10200	10*200		200		50
E021103	OT 10250	10*250		250		65
E021104	OT 10300	10*300		300		80
E021105	OT 10350	10*350		350		95
E021106	OT 10400	10*400		400		110
E021107	OT 10450	10*450		450		130
E021108	OT 10500	10*500		500		140
E021109	OT 10550	10*550		550		160
E021110	OT 10600	10*600		600		170
E021111	OT 10650	10*650		650		185
E021112	OT 10700	10*700	700	200		
E021113	OT 12150	12*150	12	150	0.4	35
E021114	OT 12200	12*200		200		50
E021115	OT 12250	12*250		250		65
E021116	OT 12300	12*300		300		80
E021117	OT 12350	12*350		350		95
E021118	OT 12400	12*400		400		110
E021119	OT 12450	12*450		450		130
E021120	OT 12500	12*500		500		140
E021121	OT 12550	12*550		550		160
E021122	OT 12600	12*600		600		170
E021123	OT 12650	12*650		650		185
E021124	OT 12700	12*700		700		200
E021125	OT 16150	16*150	16	150	0.4	35
E021126	OT 16200	16*200		200		50
E021127	OT 16250	16*250		250		65
E021128	OT 16250	16*250		250		65
E021129	OT 16300	16*300		300		80
E021130	OT 16350	16*350		350		95
E021131	OT 16400	16*400		400		110
E021132	OT 16450	16*450		450		130
E021133	OT 16500	16*500		500		140
E021134	OT 16550	16*550		550		160
E021135	OT 16600	16*600		600		170
E021136	OT 16650	16*650		650		185
E021137	OT 16700	16*700		700		200



**Ring Type
Stainless Steel Cable Ties**

Features

- Ring Type
- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Surface

- PVC coated is optional.

Part No.		Item No.	Size	Width mm	Length mm	Max. Bundle Diameter mm
Uncoated	Coated					
E021601	E021701	RT 10-150	10*150	10	150	37
E021602	E021702	RT 10-200	10*200		200	50
E021603	E021703	RT 10-250	10*250		250	63
E021604	E021704	RT 10-300	10*300		300	76
E021605	E021705	RT 10-350	10*350		350	89
E021606	E021706	RT 10-400	10*400		400	102
E021607	E021707	RT 10-450	10*450		450	115
E021608	E021708	RT 10-500	10*500		500	128
E021609	E021709	RT 10-550	10*550		550	141
E021610	E021710	RT 10-600	10*600		600	154
E021611	E021711	RT 10-650	10*650	650	167	
E021612	E021712	RT 12-150	12*150	12	150	37
E021613	E021713	RT 12-200	12*200		200	50
E021614	E021714	RT 12-250	12*250		250	63
E021615	E021715	RT 12-300	12*300		300	76
E021616	E021716	RT 12-350	12*350		350	89
E021617	E021717	RT 12-400	12*400		400	102
E021618	E021718	RT 12-450	12*450		450	115
E021619	E021719	RT 12-500	12*500		500	128
E021620	E021720	RT 12-550	12*550		550	141
E021621	E021721	RT 12-600	12*600		600	154
E021622	E021722	RT 12-650	12*650		650	167
E021623	E021723	RT 12-700	12*700		700	180
E021624	E021724	RT 12-800	12*800	800	193	

Ratchet Lokt Type Cable Ties



Features

- Ratchet Lokt Type
- Easily and quickly installed
- High tensile strength
- Non-flammability
- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Package: 100pcs/bag, or as request
- Special sizes can be customized

Material

- Stainless Steel 201/304/316

Part No.	Item No.	Size	Width mm	Length mm	Thickness mm	Max.Bundle Diameter mm
E021501	UR 10300	10*300		300		81
E021502	UR 10350	10*350		350		92
E021503	UR 10400	10*400		400		113
E021504	UR 10450	10*450		450		129
E021505	UR 10500	10*500		500		141
E021506	UR 10550	10*550		550		161
E021507	UR 10600	10*600		600		176
E021508	UR 10650	10*650		650		192
E021509	UR 10700	10*700		700		208
E021510	UR 10750	10*750		750		224
E021511	UR 10800	10*800		800		240
E021512	UR 10850	10*850		850		255
E021513	UR 10900	10*900	10	900	0.8	270
E021514	UR 101000	10*1000		1000		285
E021515	UR 101100	10*1100		1100		325
E021516	UR 101200	10*1200		1200		345
E021517	UR 101300	10*1300		1300		365
E021518	UR 101400	10*1400		1400		385
E021519	UR 101500	10*1500		1500		405
E021520	UR 101600	10*1600		1600		425
E021521	UR 101700	10*1700		1700		445
E021522	UR 101800	10*1800		1800		460
E021523	UR 101900	10*1900		1900		485
E021524	UR 102000	10*2000		2000		512

Stainless Steel Straps and Buckles



Features

- High resistance to acetic acid, sulphuric acid, corrode etc.
- Operating Temperature: -60°C to 150°C
- Utilized in general use band applications
- Can be used with buckles to band clamps.
- Packed in a stand box or a durable plastic tote for easy dispensing.

Material

- Stainless Steel 201/304/316

Part No.	Item No.	Size	Width mm	Thickness mm	Packing m/roll
E021201	SSS-1	6.4*0.38	6.40	0.38	30.50
E021202	SSS-2	9.5*0.38	9.50	0.38	30.50
E021203	SSS-3	10*0.4	10.00	0.40	30.50
E021204	SSS-4	12.7*0.4	12.70	0.40	30.50
E021205	SSS-5	12.7*0.76	12.70	0.76	30.50
E021206	SSS-6	16*0.4	16.00	0.40	30.50
E021207	SSS-7	16*0.76	16.00	0.76	30.50
E021208	SSS-8	19*0.4	19.00	0.40	30.50
E021209	SSS-9	19*0.7	19.00	0.70	30.50
E021210	SSS-10	19*0.76	19.00	0.76	30.50



Part No.	Item No.	Size	Width mm	Thickness mm
E021301	MC 8*0.5	8*0.5	8.00	0.50
E021302	MC 10*1.0	10*1.0	10.00	1.00
E021303	MC 10*1.2	10*1.2	10.00	1.20
E021304	MC 12*1.2	12.7*1.2	12.70	1.20
E021305	MC 12*1.5	12.7*1.5	12.70	1.50
E021306	MC 16*1.2	16*1.2	16.00	1.20
E021307	MC 16*1.5	16*1.5	16.00	1.5
E021308	MC 19*1.2	19*1.2	19.00	1.2
E021309	MC 19*1.5	19*1.5	19.00	1.5

Part No.	Item No.	Size	Width mm	Thickness mm
E021401	NC 8*0.7	8*0.7	8.00	0.7
E021402	NC 10*0.7	10*0.7	10.00	0.7
E021403	NC 12*0.7	12.7*0.7	12.70	0.7
E021404	NC 16*0.7	16*0.7	16.00	0.7
E021405	NC 19*0.8	19*0.8	19.00	0.8

Stainless Steel Cable Marker Plates



Features

- Information could be engraved on the plates.
- Fixed with self-locking cable ties.

Material

- Stainless Steel 201/304/316

Part No.	Item No.	Size	Width mm	Length mm	Thickness mm	Packing PCS	Weight KG
E021801	MP 4000	9.50 x 89.0	9.5	89	0.4	100	0.2
E021802	MP 4020	19.0 x 89.0	19.0	89	0.4	100	0.4
E021803	MP 6000	9.50 x 89.0	9.5	89	0.4	100	0.2
E021804	MP 6020	19.0 x 89.0	19.0	89	0.4	100	0.4

Stainless Steel Marker Ties



Features

- Information could be engraved on the plates.
- Fixed with self-locking cable ties.

Material

- Stainless Steel 201/304/316

Part No.	Item No.	Length mm	Max.Bundle Diameter mm	Thickness mm	Packing PCS
E021901	YS-80	80	26	0.2	100
E021902	YS-100	100	32	0.2	100
E021903	YS-120	120	38	0.2	100
E021904	YS-150	150	48	0.2	100
E021905	YS-180	180	56	0.2	100



■ Fastening stainless steel cable ties quickly, cutting left parts by manual

Part No.:	H012103
Applicable Width	0.3-7.9mm
Length	178mm
Weight	0.68Kg




■ Fastening stainless steel cable ties quickly, cutting left parts by manual

Part No.:	H012103
Applicable Width	4-12mm
Applicable Thickness	0.2-0.4
Weight	0.6Kg



■ Fastening stainless steel cable ties quickly, cutting left parts by manual

Part No.:	H012103
Applicable Width	6.5-25mm
Applicable Thickness	0.2-0.8mm
Weight	1.5Kg



■ Fastening stainless steel cable ties quickly, cutting left parts by manual

Part No.:	H012103
Applicable Width	6.5-25mm
Applicable Thickness	0.2-0.8mm
Weight	1.5Kg