



FTTH Accessories

Fiber Optic Closures

(Fiber to the home)

Seceri

A MEMBER OF
KingGo



Suspension Clamp

Part No.	Item	Cable Diameter mm	MBL kN	Weight kg
B021101	ACC	2 x 6	1	0.05



Tension Clamp

Part No.	Item	Cable Diameter mm	MBL kN	Length mm	Weight kg
B021102	ODWAC-22	5 x 16	1.2	220	0.04



Hinger Support
Part No.: B021103



C-Type Hook
Part No.: B021104



Plywood Retractor
Part No.: B021105



Binding Hook
Part No.: B021106



Fiber Cabling Manage Ring

Part No.: B021107



S Type Fastener

Part No.: B021108



Ring Retractor

Part No.: B021109



Cable Clip Screw Buckle

Part No.: B021111

Fiber Optic Closures



GJS-01-D



GJS-02-D



GJS-03

Part No.	Item	Dimension mm	Fibers	Inputs	Cable Diameter	Splice Model	Weight kg
B021201	GJS-01-D	Φ178 x 300	48	4 (round)	4 x 16	37	1.8
B021202	GJS-02-D	Φ178 x 300	48	4 (3 round + 1 oval)	3 x 16.1 x (25 x 44)	37	1.8
B021203	GJS-03	Φ140 x 420	96	5 (4 round + 1 oval)	4 x 20.1 x (25 x 44)	33	2.2

Fiber Optic Closures



Part No.	Item	Cable Diameter	Capacity	Operation Temp.	Dimension mm	Weight kg
B021204	GJS-5002	6 - Ø13 - Ø22 mm	48 fibers 8 adaptors	-40 to +60 °C	323 x 202 x 86	1.6



GJS-A



GJS-M 96

Part No.	Item	Cable Diameter mm	Fibers	Inputs	Splice Model	Dimension mm	Weight kg
B021205	GJS-A	4 x 13.2 x 16	48 / 96	6 (round)	16	400 x 185 x 104	2
B021206	GJS-M 96	2 x 14	48	2 (round)	23	280 x 200 x 90	1



Fiber Optic Closures

Part No.	Item	Cable Diameter mm	Fibers	Inputs	Splice Model	Dimension	Weight kg
B021208	GJS-Q 96	3 x 16.1 x (25 x 44)	72	4 (3 round + 1 oval)	32	Φ125 x 435	2.2




Termination Boxes

Features

- FTTH access network. Telecommunication Networks. CATV Networks. Data communications. Networks Local Area Networks.
- Can accommodate 1x8 & 1X16 PLC splitter.
- UV and weather proof.
- Up to 16 FTTH drops.
- Wall and pole mountable.
- 2 inlet ports(for cables with max diameter 12mm), 16 outlet ports.
- Protection class: IP 54
- ROHS compliance

Part No.	Item	Cable Diameter mm	Capacity	Dimension mm	Weight kg
B021207	HTTB-X20	12	16 Splices, 16 SC adaptors	260x320x90	1.6



Optical Fiber Distribution Frame

Part No.	Item	Adapter Type	Dimension	Weight kg
B021209	ODF 8	FC / SC	295 x 280 x 55	0.9
B021210	ODF 24	FC / SC	1U	2.4
B021211	ODF 32	FC / SC	1U	2.4
B021212	ODF 64	FC / SC	2U	2.3
B021213	ODF 96	FC / SC	2U	2.3